

Decision Models

Lecture 8

- Retailer simulation
- Summary and Preparation for next class

• Stores are stocked with 2,000 units of a single fashion item

Retailer Parameters

- → Management hopes for strong sales but demand is hard to predict
- → No chance for restocking the item or reallocating among stores
- Initial price is \$60
- 15 week selling season
- Goal: *maximize the revenue* from the 2,000 units
 - → Production and distribution costs have already been paid; they are sunk costs
- Four allowable price levels
 - → \$60 (full price), \$54 (10% off), \$48 (20% off), \$36 (40% off)
- Management policy: price cannot be raised once it has been cut
- All items in stores that are not sold at the end of 15 weeks are sold to discounters ("jobbers") for \$25 per unit (salvage value)

Decision Models: Lecture 8 3

Historical Data Analysis: Item 1

	Qty on			Average
Week	hand	Price	Sales	Sales
1	2000	60	57 \	
2	1943	60	98	\
3	1845	60	55	> 58
4	1790	60	41	50
5	1749	60	60 /	/
6	1689	60	39 /	_
7	1650	54	106 \	
8	1544	54	55 \	
9	1489	54	64	\
10	1425	54	43	
11	1382	54	131	> 76
12	1251	54	112	/
13	1139	54	62	/
14	1077	54	31 /	
15	1046	54	80 /	
16	966		,	

Historical Data Analysis: Item 6

	Qty on			Average
Week	hand	Price	Sales	Sales
1	2000	60	94 \	
2	1906	60	85 \	
3	1821	60	170	114
4	1651	60	155	> 114
5	1496	60	126 /	
6	1370	60	64 /	
7	1306	60	105/	
8	1201	48	229 \	
9	972	48	253 \	
10	719	48	179	> 209
11	540	48	163 /	
12	377	48	223/	
13	154	48	154	
14	0	48	0	
15	0	48	0	
16	0			

After the price is cut from \$60 to \$54, average weekly sales increase from 58 to 76. This represents a 30% jump in demand for item 1.

The average weekly sales at \$60 are 114. The average weekly sales at \$48 are 209. This average is taken over weeks 8 – 12 only. The average weekly sales increase represents an 83% jump in demand. A similar analysis can be done for each of the other items.

Decision Models: Lecture 8 4

Historical Data Analysis: All items

	Avera					
	(ignoi	res weeks	with stock	outs)	Demand	Average
Item	60	54	48	36	jump	jump
1	58	76			1.30	1.31
2	108	144			1.34	
3	59	82			1.39	
4	61	78			1.27	
5	93	114			1.23	
6	114		209		1.83	1.73
7	67		120		1.77	
8	53		97		1.83	
9	74		132		1.79	
10	67		97		1.44	
11	100			264	2.63	2.81
12	64			189	2.94	
13	66			197	3.00	
14	61			164	2.67	
15	62			175	2.81	

Items 6 and 11 ran out of stock. Weeks with stockouts were removed from the average sales results.

Average demand at full price differs considerably across items. However, the responsiveness of demand to price changes is similar across items.

Decision Models: Lecture 8 6

Retailer Pricing Strategy

Because of the complexity of this problem, the optimal strategy is difficult to determine. However, we can try to find good strategies for the real problem by finding optimal strategies for a simpler problem.

Thus, suppose demand is known and deterministic (i.e., not random). To illustrate, suppose weekly demand at full price is 125. Using the historical data analysis, demand at the other price levels is:

	Price levels					
	60	54	48	36		
Demand multiplier	1	1.31	1.73	2.81		
Weekly demand	125	164	216	351		

For these known levels of demand, what pricing strategy maximizes total revenue? We can formulate a linear program to solve this problem.

Decision Variables: Let

 x_{60} = # of weeks the item is sold at \$60

and define x_{54} , x_{48} , and x_{36} similarly.

Retailer Linear Program

Objective Function:

The total revenue is revenue from sales plus revenue from salvage. Revenue from sales is

 $60x_{60}(125) + 54x_{54}(164)$

 $+48x_{48}(216)+36x_{36}(351).$

In order to compute the revenue from salvage, it is helpful to define an additional decision variable:

 $x_s = #$ of units sold at the salvage value of \$25.

The revenue from salvage is simply $25x_s$.

Constraints:

The constraint on total sales is "Total sales \leq 2000," or equivalently, "Total sales + x_s = 2000." This gives

 $125x_{60} + 164x_{54} + 216x_{48} + 351x_{36} + x_s = 2000.$

The selling season is at most 15 weeks:

 $x_{60} + x_{54} + x_{48} + x_{36} \le 15.$

Note: The selling season could be less than 15 weeks if the item sells out.

The initial price of the item is \$60, i.e., the item sells at full price for at least one week

 $x_{60} \ge 1.$

Retailer Linear Program (continued)

If weekly demand at full price is 125, the complete retailer linear program is:

 $\max 60x_{60}(125) + 54x_{54}(164) + 48x_{48}(216)$ $+ 36x_{36}(351) + 25x_s$

subject to:

Total sales constraint:

 $x_{60}(125) + x_{54}(164) + x_{48}(216)$

 $+x_{36}(351) + x_s = 2000$

Selling season constraint:

 $x_{60} + x_{54} + x_{48} + x_{36} \le 15$

Initial price constraint:

 $X_{60} \ge 1$

Nonnegativity: All variables ≥ 0

Decision Models: Lecture 8 9

_ _ _

Decision Models: Lecture 8 10

С D E F G в н 1 Α RET LP.WB1 Retailer Linear Programming Spreadsheet Weekly demand at full price...... 125 Initial quantity on hand..... 2000 Salvage value. 25 +\$D\$3*F8 6 54 Price levels.. 60 48 36 1.73 216.3 Demand multipliers... 1.31 2.81 8 1 Avg. weekly demand... 125 163.8 351.3 10 Total Constraint 11 No. of weeks at price 0.0 0.0 15 <= <= 15 3.2 528.2 12 Total sold at price 13 Total sold at price 14 Revenue Computations: 1471.8 2000 2000 +F9*F11 116.831 🗲 15 Revenue from sales Additional constraint: Revenue from salvage 0 No. of weeks at full price >= 1? 16 \$116,831 17 Total revenue >= 1 18 @SUMPRODUCT(C7..F7,C12..F12) +C15+C16 (D4-G12)*D5 i.e., (quantity salvaged)*salvage value

Retailer Optimized Spreadsheet

The optimal solution is to sell at full price for 11.8 weeks and at 10% off for 3.2 weeks. The total revenue is \$116,831.

The decision variables could be restricted to take on integer values only. However, this is of little consequence because the exact demand rates are not known with certainty anyway.

Retailer Optimization Results

Demand at						Total
full price	\mathcal{X}_{60}	$oldsymbol{\chi}_{54}$	${oldsymbol{\mathcal{X}}}_{48}$	$oldsymbol{\chi}_{36}$	\boldsymbol{x}_{s}	Revenue
125	11.8	3.2	0.0	0.0	0	116,831
120	9.6	5.4	0.0	0.0	0	114,929
110	4.7	10.3	0.0	0.0	0	111,126
100	1.0	12.4	1.6	0.0	0	106,969
90	1.0	7.1	6.9	0.0	0	102,129
80	1.0	0.5	13.5	0.0	0	97,289
70	1.0	0.0	14.0	0.0	235	91,444
60	1.0	0.0	14.0	0.0	487	85,524
50	1.0	0.0	14.0	0.0	739	79,603
40	1.0	0.0	14.0	0.0	991	73,682

- If demand is sufficiently large (e.g., at least 80 per week at full price), the optimal solution is to cut the price to sell the last unit (number 2000) at the end of week 15.
- It is never optimal to cut the price to \$36. Why?

Decision Models: Lecture 8 11

Which price cuts are beneficial?

Suppose that weekly demand at \$60 is 100. If the price is kept at \$60, 1500 units will be sold over the 15 week selling season. The total revenue is

60(1500) + 25(2000 - 1500) = 90,000 + 12,500= 102,500.

Suppose that weekly demand at 10% off (\$54) is 115 – a 15% increase. Is the retailer better off with a constant \$60 price or a constant \$54 price?

If the price is set at \$54, 1725 (= 15(115)) units will be sold over the 15 week selling season. The total revenue is

54(1725) + 25(2000 - 1725) = 93,150 + 6,875= 100,025.

The retailer would be worse off! With a price cut of 10%, a demand increase of 15% is *not* enough to produce an increase in revenue. Why? Because of the salvage value.

Beneficial price cuts (continued)

The complete stock of 2000 units can be sold for at least the salvage value of $50,000 (= 2,000 \times 25)$. The goal of maximizing revenue can be restated to maximize the *incremental* revenue over this amount.

The incremental revenue per unit at the initial price is 35 (= 60 - 25). At a price of 10% off, the incremental revenue per unit is 29 (= 54 - 25). The incremental revenue decreases by a factor of

$$0.83 = 29/35.$$

Demand must increase by a factor of

1.207 = 35/29

to make up for the price cut.

Indeed, if demand increased to 120.7 at a price of \$54, 1811 (=15(120.7)) units would be sold over the 15 week selling season. The total revenue would be

54(1811) + 25(2000 - 1811) = 97,767 + 4,738= 102,500,

the same as selling for 15 weeks at \$60.

Breakeven Demand Increases

To summarize, if the price is cut by 10% (from \$60 to \$54), demand must increase by 21% (from 100 to 121) to breakeven in revenue. The analysis can be repeated for the other price cuts:

Price	Actual demand increase	Breakeven increase
10% off (\$54)	31%	21%
20% off (\$48)	73%	52%
40% off (\$36)	181%	218%

For a price cut from \$60 to \$36, incremental revenue decreases by a factor of

0.31 = 11/35.

Demand must increase by a factor of

$$3.18 = 35/11$$

to make up for the price cut. But demand only increases by a factor of 2.81.

Moral: Under these circumstances, it is not optimal to cut the price to \$36.

Effect of Uncertainty in Demand

The retailer linear program gave the optimal solution with known and deterministic demand. If demand at full price were 90, the optimal linear programming solution is $x_{60} = 1.0$, $x_{54} = 7.1$ and $x_{48} = 6.9$. Suppose we didn't know the actual demand, and cut the price one week later. How would the total revenue change? How would the revenue change if we cut the price one week earlier?

Demand at						Total
full price	$oldsymbol{\chi}_{60}$	$\boldsymbol{\chi}_{54}$	$oldsymbol{\chi}_{48}$	$oldsymbol{\chi}_{36}$	\boldsymbol{x}_{s}	Revenue
90	1.0	7.1	6.9	0.0	0	102,129
90	1.0	8.1	5.9	0.0	38	101,967
90	1.0	6.1	7.6	0.0	0	101,422

- The optimal strategy gives a revenue of \$102,129.
- Cutting 1 week too late gives a revenue of \$101,967, or \$162 less than optimal.
- Cutting 1 week too early gives a revenue of \$101,422, or \$707 less than optimal.
- If the true demand were not known, there is a greater risk of cutting the price too early compared to too late.

Effect of Uncertainty in Demand (continued)

The same analysis can be repeated for other demand levels. Suppose demand at full price is 120. The optimal linear programming solution is to keep the price at \$60 for 9.6 weeks and at \$54 for 5.4 weeks. Cutting one week later or one week earlier gives:

Demand at						Total
full price	$oldsymbol{\chi}_{60}$	$\boldsymbol{\chi}_{54}$	$oldsymbol{\chi}_{48}$	$oldsymbol{\chi}_{36}$	\boldsymbol{x}_{s}	Revenue
120	9.6	5.4	0.0	0.0	0	114,929
120	10.6	4.4	0.0	0.0	37	114,570
120	8.6	6.1	0.0	0.0	0	114,209

- The optimal strategy gives a revenue of \$114,929.
- Cutting 1 week too late gives a revenue of \$114,570, or \$359 less than optimal.
- Cutting 1 week too early gives a revenue of \$114,209, or \$720 less than optimal.
- If the true demand were not known, there is a greater risk of cutting the price too early compared to too late.

Retailer Pricing Strategy

The preceding analysis suggests some pricing strategy guidelines to follow when demand is random and unknown:

- Only use "beneficial" price cuts. In this case, don't cut the price to \$36.
- If demand is sufficiently great, time price cuts in order to run out of stock at the end of the 15 week selling season.
- With uncertain demand, cutting the price too late is less risky than cutting the price too early.
- Once a price cut is taken, it cannot be rescinded. With uncertain demand, this also argues for cutting later rather than earlier.

How would a different salvage value affect these conclusions?

Related Simulation Applications

The retailer simulation illustrates how simulation can be used as a *training* tool. Other examples include:

- Foreign exchange market simulator
 - → Used to train traders and market makers in the basic elements of foreign exchange markets
- Soapmaker
 - → Used to train production managers in the basic tradeoffs in production scheduling and inventory control
- MARKSTRAT 2
 - → Simulation of firm-wide marketing strategy
 - → Decisions include product design, distribution, pricing, advertising, and sales force allocation
- The Stanford Bank Game
 - → Simulates the management of a large commercial bank

These simulation programs are used in upper level finance, operations, and marketing courses.

Summary

- Retailer illustrates an application of simulation to yield management
- Simulation as a training tool
- Optimization can be used to develop reasonable pricing strategies

For next class

- Read Chapter 12, pp.581–594 in the W&A text.
- Optional reading: Chapter 12.5–12.12 and Chapter 13 in the W&A text.